

Index

Note: Page numbers followed by “*f*” indicate figures, “*t*” indicate tables, “*b*” indicate boxes, and “*p*” indicate plates.

A

- Adaptive Environmental Assessment and Management (AEAM), 37–38
- Afghanistan
 - lessons for, 79–81
 - policy imperatives, 81
 - watershed impacts
 - equity in benefits, 73–74
 - hydrological impacts, 71–73
 - range land rehabilitation, 71
 - reforestation, 71
 - vegetative cover, 71
- WSM, 56–57, 63–64
- Agricultural water demand, 230*t*, 231
- Agroecology, 43–44
- Anthropogenic factors, 55
- Aquifer geometry, watershed development, 288–289

B

- Bagmati Integrated WSM Project (BIWMP), 69
- Bangladesh, WSM, 63
- Basin-level water accounting, 184
- Basin management, 13–14, 331
- Basin organization, 324–325
- Basin water accounting, 15
- Bench terraces, 64
- Bhutan, WSM, 61–62
- Biological oxygen demand (BOD), 252
- Bottom-up approach, 278
- Bunds, artificial embankments, 64

C

- Canal-based water distribution, 239–240
- Catchment, 276
 - closure of, 280, 284
 - governance of, 282
 - groundwater, 277–278
 - hydrological assessment of, 337–338
 - modeling part of, 285
 - socioeconomic context, 285–286
 - surface-water, 292

Catchment assessment

- catchment management decisions, knowledge use, 25–26
- integrated catchment management
 - institutional, legal/regulatory measures, 27–29, 30–36*t*
 - physical/technological aspects, 26–27
- land use/land cover and catchment yield and soil erosion changes, 23–24
- scientific task of, 331–332
- Catchment assessment and management
 - planning (CAMP) study, Gujarat
- catchment choice, 107
- hydrological assessment, 110–111
- hydrological modeling, 103–104
- IWMP watersheds, choice of (*see* Sukhi catchment, IWMP watersheds)
- objectives, 106–107
- SWAT (*see* Soil and Water Assessment Tool (SWAT))
- village-level information
 - cropped area, 120
 - elevation ranges and steep topography, 117
 - forest and degraded forest, 118
 - ground water levels, interannual variability in, 119
 - irrigated area, 120
 - kharif shift to double cropping, 118
 - postmonsoon depth to water level, 120
 - water harvesting structures, 119
 - water-level fluctuation, 120
 - wells, 118
 - years of drought, groundwater recharge, 120
- villagers’ perception of water problems, 120–121
- watershed characteristics, 117
- watershed management, challenge for, 121–122
- Catchment assessment and planning, 2–3, 13
 - in South Gujarat, western India, 14–15
 - theoretical and conceptual aspects, 23

- Catchment characteristics, modeling
 - basic steps in, 123*b*
 - data collection, 122–123
 - final model run, 126–128, 127*b*, 127*f*
 - global datasets, 123, 124*b*, 124–125*f*
 - improved datasets, 123–126, 125–126*f*
 - Catchment closure, 72
 - Catchment functioning, 47
 - Catchment hydrology, 13
 - land use and land cover, changes in, 46
 - modeling tools, 47
 - state of knowledge, 40–41
 - Catchment management, 331–333, 335
 - and basin management, 13–14
 - decisions, knowledge use, 25–26
 - economic outcomes, 47
 - inadequate scientific knowledge, 12–13
 - integrated
 - institutional, legal/regulatory measures, 27–29, 30–36*t*
 - physical/technological aspects, 26–27
 - land and water resources, 47
 - Catchment Management Agencies (CMAs), 28–29, 40, 336–337
 - Catchment management planning (CMP), 47–48
 - in Britain, 48
 - in India
 - agroecology, 43–44
 - central funds, 42
 - forest hydrology, 43
 - KAWAD project, 42
 - microwatershed level, 43
 - plan allocation, 41–42
 - soil moisture regime, 42
 - water demand, 42–43
 - treatment technologies, 26
 - Catchment planning
 - hydrological considerations, 48
 - implementation outcomes, 38–40
 - in India
 - catchment hydrology, state of knowledge, 40–41
 - in IWMP (*see* Integrated watershed management program (IWMP))
 - physical and socioeconomic impacts, 44–45
 - watershed management institution sustainability, 45–46
 - integrated crop, rainfall runoff, soil erosion, and economic models, 29–37
 - process, 37–38
 - Central Ground Water Board (CGWB), 228
 - China, resource fee, 320–321
 - Clean Ganges Programme and Sustainable Cities Mission, 273
 - Climate extremes, 1
 - CMAs. *See* Catchment Management Agencies (CMAs)
 - CMP. *See* Catchment management planning (CMP)
 - Community development committee (CDC), 77
 - Compensation approach, 283
 - Conveyance losses, irrigation, 239–240
 - Crop production, 190
 - Curve number method, 224
- ## D
- Deep percolation losses, 10–11
 - Demonstration effect, 283
 - Department of land resources (DoLR), 48, 75, 107
 - Department of Soil Conservation and Watershed Management (DSCWM), 76–78
 - Distributary
 - flow measurement and control, 317
 - modernization of, 318
 - District Development Committee (DDC), 77
 - District soil conservation officers (DSCOs), 77
 - District water management agency (DWMA), 75–76
 - DoLR. *See* Department of land resources (DoLR)
 - Domestic water
 - demands, 219
 - supply, 245
 - unplanned disposal of, 246
 - use in Luni river basin, 202–207
 - Downscale basin-level IWRM plans, 213–216

balancing demand and supply, 229–230
 scale effects and economic viability, 232–233
 water availability–demand gap, 230–231
 water management interventions, 231–232
 challenges of, 216
 district water management options, 234–235
 irrigated area reduction, 236
 microirrigation and mulching, 235
 irrigation
 conveyance losses and piped water systems, 239–240
 water use hydrology of, 237
 livestock population in Luni river basin, 238
 microirrigation, 240–241
 mulching, 241–243
 rainfall and climate variability, 215
 water demands, 214, 216, 222
 domestic, 219
 industrial, 221–222
 irrigation, 216–219
 livestock, 219–221
 water supplies, 214–215, 223, 229
 groundwater resources, 226–228
 surface water resources, 224–225
 Drinking water security, 245
 Drip irrigation, 210–211, 233
 DSCWM. *See* Department of Soil Conservation and Watershed Management (DSCWM)

E

Effective rainfall, 160–161
 Effluent Treatment Plant (ETP), 268
 Electricity Users' Cooperatives (EUCs), 315
 Employment assurance scheme (EAS), 89
 European Union Special Partnership Programme (EU-SPP), 213
 European Water Framework Directive (EWFd), 38
 Evapotranspiration (ET), 136, 338–339
 Evapotranspiration fraction, 339

F

Farmer management support cell (FMSC), 316
 Farmer management support unit (FMSU), 324
 Flagship national watershed development scheme, 103–104
 FMSC. *See* Farmer management support cell (FMSC)
 Forest cover, 339
 Forest hydrology, 13, 43
 Future water requirement, 264–265

G

Ganga River Basin, 16
 Ganges barrage construction, 265
 Geographic information system (GIS), 90
 Geohydrology
 of Luni river basin, 187–190
 Warna river basin, 154–155
 Government of India (GOI), 103–105
 Gram Panchayats (GP), 233
 Groundwater
 abstraction
 in Luni river basin, 188–189
 sustainable levels of, 313
 in Kanpur metropolitan area, 252–254
 levels and water quality monitoring, 323
 level trends, time series data on, 333
 resources, 170–171*t*, 226–228
 tradable water use rights allocation, 305
 use rights allocation, 319
 Groundwater banking, 231, 233
 Groundwater–surface water interactions, 13, 41, 339–340

H

Harvesting cost, 233
 Hathni sub-basin, 89–96, 97*f*, 333
 Hilkot participatory WSM program, 70
 Hydroecology, 88–89
 Hydrogeology, 286–289
 Hydrological processes, 278–279
 Hydrological simulation models, 13–14
 Hydrology
 of Luni river basin, 187–190
 Warna river basin, 153–154, 154*f*
 watershed development, 284–285, 292

Hydrology-based watershed management application
 hydrological assessment, 141–144
 intervention planning, 121–122, 141
 project area selection, 141–142
 approach and methodology, 139–140
 Hyperarid river basin, 15

I

ICM. *See* Integrated catchment management (ICM)
 IGNP. *See* Indira Gandhi Nehar project (IGNP)
 India
 catchment management planning
 agroecology, 43–44
 central funds, 42
 forest hydrology, 43
 KAWAD project, 42
 microwatershed level, 43
 plan allocation, 41–42
 soil moisture regime, 42
 water demand, 42–43
 drinking water security, 245
 hydrological research, 280
 integrated water resources management
 in, 337
 meso-WSD problem in, 293–294
 water resources management in, 301
 watershed impacts and equity, 67–68
 watershed institutions and
 implementation, 74–76
 WSD policy, 275
 WSM, 48, 56, 58–60
 institutions, sustainability of, 45–46
 physical and socioeconomic impacts, 44–45
 Indira Gandhi Nehar project (IGNP), 183, 198
 Industrial growth, Kanpur metropolitan area, 250–252
 Industrial production, 190–192
 Industrial water demands, 221–222
 In situ moisture conservation, 65–66
 In situ water harvesting, 2
 Institutional approach, 279
 Integrated catchment management (ICM)
 goals of, 39

 institutional, legal/regulatory measures, 27–29, 30–36*t*
 interventions, 29, 37, 44
 physical/technological aspects, 26–27
 Integrated water management interventions, 233
 Integrated water resource management (IWRM), 13, 16, 213, 299–300, 327–328, 335
 action plan for implementation
 institutional design principles for, 301–302
 State Water Development and Management Board, 302–303
 concepts and principles of, 300
 in India, 337
 interventions, river basins, 15–16
 monitoring and planning unit, 303–304
 operationalizing concept of, 300
 Integrated watershed management
 agricultural intensification and groundwater abstraction, 10
 catchment assessment, 8
 hydraulic interconnectedness, 9–10
 lack of integration, 10
 microwatershed, 8–9
 thrust, 7–8
 watershed planning, 8
 water use efficiency, 9
 Integrated watershed management program (IWMP), 75
 catchment management planning, in India
 agroecology, 43–44
 central funds, 42
 forest hydrology, 43
 KAWAD project, 42
 microwatershed level, 43
 plan allocation, 41–42
 soil moisture regime, 42
 water demand, 42–43
 PMKSY, 103–104
 water harvesting structures, 119
 Intensive water-harvesting activities, 49
 Intrabasin water transfers, 216
 Irrigation
 components of, 194

- conveyance losses and piped water systems, 239–240
 - groundwater suitability for, 190
 - management, 315
 - water consumption through, 201–202
 - water demands, 216–219
 - water requirement, 161, 169–171
 - water use hydrology of, 237
 - IWMP. *See* Integrated watershed management program (IWMP)
 - IWRM. *See* Integrated water resource management (IWRM)
- J**
- Jawaharlal Nehru National Urban Renewal Mission (JNNURM), 256
- K**
- Kanpur metropolitan area (KMA), 245–249, 273
 - climate in, 249
 - demographic changes, 249
 - groundwater, 252–254
 - industrial growth, 250–252
 - major findings from desktop study, 270–273
 - methodology, 247–248
 - surface water, river Ganges, 252
 - urban water management, institutional framework in, 260–261
 - wastewater treatment, 257–259
 - water accounts of, 263–264
 - estimated water demand, 261–262
 - estimated water supply and use, 262–263
 - water quantity and quality management, 16
 - water supply management challenges, 264
 - economic risks, 267–270
 - physical risks, 264–266
 - water supply system, 254–256
 - Krishna river basin, 15, 334
 - Kundi sub-basin, 89–96, 98–99, 98*f*, 333
- L**
- Land degradation, 55
 - Land use–hydrology interactions, 2–3
 - Large-scale water resources development, 187–188
 - Livelihoods, watershed development, 284–285
 - Livestock
 - farming, 190
 - population in Luni river basin, 238
 - water demands, 219–221
 - water use in Luni river basin, 207–209
 - Local institutional development
 - agencies for, 314
 - Local water management activities
 - monitoring, 325
 - Longitudinal and cross-sectional analysis, 90
 - Luni river basin, 15–16, 159, 184–186, 210–211, 333–334
 - domestic water use in, 202–207
 - drainage map of, 184, 185*p*
 - evaporation from reservoirs, 198–201, 201*t*
 - hydrology and geohydrology, 187–190
 - imported water, 198, 199*t*
 - livestock population in, 238
 - livestock water use in, 207–209
 - methodology and analytical procedure, 193–195
 - rainfall in, 186–187
 - rainfall–runoff relationship estimation, 196–198
 - replenishable groundwater estimation, 198, 199*t*
 - socioeconomic drivers of water use, 190–192
 - virgin flows estimation, 195–196
 - water accounts, 209–210
 - water consumption through irrigation, 201–202, 203–205*t*, 206*f*
- M**
- Mapping, 90
 - Mesoapproach, 282
 - Microcatchment, 8–9, 172–173
 - Microcatchment management
 - programs, 24
 - Microirrigation (MI) system, 232, 235, 240–241
 - Microplanning, 50
 - Microwatershed, 8–9, 14, 276, 279–280

Minors

- flow measurement and control, 317
- modernization of, 318

Model scenarios

- catchment-level scenarios, 129–131
- characteristics, 128, 128*b*
- description of, 130, 130*t*
- impact on yields, 137
- important and uncertain impacts, 129
- village-level scenarios
 - description, 134–136, 135*t*
 - IWMP watersheds, 132
 - Kevdi village, RWH structures, 133–134, 135*t*
 - microcatchments, 133, 134*f*
 - SWAT subcatchments, 132, 133*f*
- water balance components, 136–138

Modernization, 317

- of distributary, minors, and watercourses, 318
- of field channels, 318

Mulching, 210–211, 232, 235–236, 241–243

- cost of, 233

Multiannual storage of water, 216

Multitier ridge-to-valley sequenced approach, 105–106

Murray Darling basin, 312–313

Murray Darling Basin Authority (MDBA) of Australia, 335–336

N

Namami Ganga (Clean Ganges) program, 261

Narmada river basin, 14

- district falling in, 87, 88*f*
- groundwater development, 87–88
- Hathni sub-basin, 89–96, 97*f*
- hydrological changes
 - annual rainfall, moving average of, 93–95, 95*f*
 - pre- and postmonsoon well water levels, 95
 - recharge fraction, 95–96, 96*f*
 - rejected recharge, 95
 - on stream flow at sub-basin level, 98–99, 98*f*, 99*t*
- water balance at microwatershed level, 97–98, 98*t*, 98*f*
- watershed intervention effect, 96, 97*f*
- intensive rainwater harvesting activities, 87–88
- Kundi sub-basin, 89–96, 98–99, 98*f*
- land use, changes in, 92–93, 94*t*
- lines of analysis, 89–90
- Narmada Master Plan, 88–89
- objectives, 89
- policy implications, 100
- socioeconomic changes, 90–92
- sustainable basin management, 88
- tools and techniques, 90
- tributaries, 89

National Green Tribunal (NGT), 267

National Institute of Hydrology, 172–173

National River Authority (NRA), 28

of England and Wales, 336

National Water Act, 28–29, 39, 48, 336

Natural resource management

Bangladesh, 63

Nepal, 76–77

policies, Sri Lanka, 62

Nepal

watershed impacts and equity, 69

watershed institutions and

implementation, 76–78

WSM, 58, 60–61

Netravati river basin, 172–173

NGOs, 316–317

NGT. *See* National Green Tribunal (NGT)**O**

On-farm water management practices, 324

Operating funds, SWDDB, 303

P

Pakistan

- watershed impacts and equity, 69–70
- WSM, 61

Participatory decision-making processes, 69

Participatory WSM, 58, 63, 69–71, 73, 76–80

Payment for environmental services (PES), 283

Pebble bunding, 64–65

PES. *See* Payment for environmental services (PES)

PIAs. *See* Project implementing agencies (PIAs)

Piped water supply, Kanpur city, 254–255

Piped water systems, 239–240

Plastic mulching, 235, 236*t*

Polluters pay principle, 268

Ponds, rejuvenation of, 231

Potential evaporation (PE) values, 200

Pressurized irrigation, 236

Project implementing agencies (PIAs), 42, 48, 76

R

Rainfall

downscale basin-level IWRM plans, 215
in Luni river basin, 186–187

Rainfall-baseflow coefficient, 340

Rainfall-runoff relationship, 3–4, 173, 224–225

estimation of, 196–198

Rain water harvesting (RWH), 66–67

Rajasthan, 183–184

IWRM plan for Pali district
(*see* Downscale basin-level IWRM plans)

Luni river basin (*see* Luni river basin)

RBMPs. *See* River Basin Management Plans (RBMPs)

RBOs. *See* River basin organizations (RBOs)

Recharge fraction, 95–96, 96*f*

Reference evapotranspiration, 339

Regulatory risk, water supply management, 267–268, 272

Renewable surface water resources, 197–198

Renewable water resources, 265–266

Replenishable groundwater estimation, 198, 199*t*

Reputational risk, water supply management challenges, 269–270, 272

Reservoir evaporation, 159, 161–162, 198–201, 201*t*

Risk assessment framework, 248, 264

River basin

IWRM interventions, 15–16

management, 13–14, 331, 335

water accounting, 13

River Basin Management Plans (RBMPs), 28–29

River basin organizations (RBOs)

designation and constitution of, 309

fund generation, 320

local institutional development agencies, 314

technical assistance from scientific institutions to, 313

training programs for local institutions, 323
water resource mapping, 310

River Ganges. *See also* Kanpur metropolitan area (KMA)

clean and protect, 261

pollution of, 268

surface water, 252

water quality monitoring of, 253*t*

River valley projects

decision making in, 5–7

micro watersheds, 7

Rock and spill drains, 64

Rural domestic water, 206

S

Self-help groups (SHGs), 75

Sewage treatment, 246

Sewage Treatment Plants (STP), 257–258, 259*t*

Sewerage system, 257–259, 271

Simulation models, 111

Smart Cities Mission, 261

Social impact assessment, 50

Socioeconomic drivers, Luni river basin, 190–192

Socioeconomic system

Warna river basin, 157–158, 157*f*
watershed management, 55–56

Soil

conservation, 64–65

in Luni river basin, 185–186

technology for, 275–276

Soil and Water Assessment Tool (SWAT), 111–113

features, 112*b*

primary data, 113–116, 116*t*

secondary data, 113–116, 114–115*t*

Sri Lanka

- watershed impacts and equity, 70–71
- WSM, 62–63

- Stakeholder forums, 309–310

- State-level nodal agency (SLNA), 75–76

- State Water Development and

- Management Board (SWDMB), 302–303, 308

- State Water Policy, 213

- Stone walls, 64

- STP. *See* Sewage Treatment Plants (STP)

- Stream interventions, 289

- Sub-basin

- Hathni, 89–96, 97*f*, 333

- Kundi, 89–96, 98–99, 98*f*, 333

- organizations, 312, 324–325

- specific management plans for, 312

- water tenure

- cropping systems, 178–179

- land use, 178

- lower catchment, 177

- total drainage area, 176–177

- upper catchment, 177–178

- urban population, 180

- water quality deterioration, 179

- water supply schemes, 180

- water table and groundwater outflows, 178–179

- wide spatial heterogeneity, 176–177

- Sukhi catchment, IWMP watersheds, 107

- DEM and SWAT sub-basins, 107

- features of, 110*b*

- field visit, 107

- location, 108–109*f*, 130

- upper Orsang catchment, 107, 110*f*

- Surface water

- resources, 224–225

- river Ganges, 252

- tradable water use rights allocation in, 305–306

- use rights allocation, 319

- Surface-water catchment, 292

- Surface-water hydrology, 285

- Sustainable livelihoods (SL) framework, 67

- SWAT. *See* Soil and Water Assessment Tool (SWAT)

- SWDMB. *See* State Water Development and Management Board (SWDMB)

T

- Tanks, rejuvenation of, 231

- Theisson Polygon method, 225

- Topography, Warna river basin, 150–151, 151*f*

- Tradable water use rights allocation

- groundwater, 305

- intersectoral allocation of rights, 306–307

- intrasectoral allocation of rights, users/ user groups, 307–308

- in surface water, 305–306

- water rights systems, 306

- Traditional water bodies, construction of, 231

U

- UMA-OYA upper WSM project, 70–71

- Urban piped water leakage, prevention of, 232

- Urban water management, 260–261

- Urban water supply, 246, 321

- User groups (UGs), 75–77

- Uttar Pradesh Pollution Control Board (UPPCB), 267–268

V

- Village Development Committee (VDC), 77

- Village-level cluster approach, 75–76

- Village-level heterogeneities, 286

- Village Watershed Committees (VWCs), 42, 48

- Virgin flows

- estimation, Luni river basin, 195–196

- water accounting, 159–160

W

- Warna river basin

- agriculture, 175–176

- annual renewable water resource, 174

- basin outflows, reservoir storage and water utilization pattern

- annual streamflow at Samdoli gauging station, 162–163, 163*f*

- effective water diversion, 164

- effective water utilization, 164, 165*t*

- gravity irrigation, 166

- ground water availability and draft, 166, 167*t*
- inflows, 163–164
- irrigated cropping pattern, 168, 168*t*
- lift irrigation, 164–166
- live storage, 163–164, 163*f*
- storage change, 164, 165*t*
- climate and agroecology, 153
- evaporation loss, 174
- geology and geohydrology, 154–155
- groundwater balance, 173–174
- hydrology, 153–154, 154*f*
- outflow, 176
- rainfall in, 151–153, 152*f*, 152*t*
- socioeconomic system, 157–158, 157*f*
- surface water accounts, 175
- topography and geography, 150–151, 151*f*
- total annual groundwater replenishment, 173
- total surface inflow, 172
- water accounts of, 174, 174*f*, 175*t*
- water audit reports, 176
- water consumption, 175
 - in domestic sector, 168–169, 169*t*
 - in irrigation, 169–172, 171*t*
 - by livestock, 169, 170*t*
- water resource system
 - groundwater, 155–157
 - surface reservoirs and irrigation projects, 155, 156*t*
- Wastewater
 - generation, from KMA, 266, 271
 - and treatment, 257–259
- Wastewater return flows, 247–248
- Wastewater treatment systems, 319, 323, 325–326
- Water-abundant regions, 307
- Water accounts/accounting, 10–11, 332, 334, 337–338
 - analysis and sources, data for, 161–162
 - basins in Western Ghats, 172
 - consumptive use, 149–150, 159
 - hydrological stress, impacts of, 149–150
 - hydrological system, 149–150
 - for Kanpur Metropolitan Area, 334
 - of KMA, 247, 263–264
 - estimated water demand, 261–262
 - estimated water supply and use, 262–263
 - of Luni river basin, 209–210
 - methodology, 15
 - methodology and analytical framework
 - for blue water, 159
 - consumptive use of water in urban area, 160
 - EWD, 160
 - irrigation, 160
 - irrigation application, 161
 - return flows, 159
 - storage change, 159–160
 - sum of irrigation dosage, 160–161
 - total inflow, 159
 - virgin flows, 159–160
- microcatchments, 172–173
- storage change, 149–150
- water governance and management, 150
- water security challenges, KMA, 16
- in western Maharashtra (*see* Warna river basin)
- Water availability–demand gap, 230–231
- Water balance estimation, 90
- Water conservation, 275–276
- Water consumption, Warna river basin, 175
 - in domestic sector, 168–169, 169*t*
 - in irrigation, 169–172, 171*t*
 - by livestock, 169, 170*t*
- Watercourses
 - flow measurement and control, 317
 - modernization of, 318
- Water demands, 214, 216, 222
 - domestic, 219
 - downscale basin-level IWRM plans, 214, 216, 222
 - domestic, 219
 - industrial, 221–222
 - irrigation, 216–219
 - livestock, 219–221
 - industrial, 221–222
 - irrigation, 216–219
 - livestock, 219–221
- Water harvesting structures (WHSs), 93
- Water imports, 216
- Water management, 299
 - for Afghanistan, 14
 - ecological characteristics, 1

- Water management (*Continued*)
 - hydrological and topographical characteristics, 1
 - institutional capability building for, 301–304
 - institutional mechanisms for, 336
 - integrated watershed management
 - agricultural intensification and groundwater abstraction, 10
 - catchment assessment, 8
 - hydraulic interconnectedness, 9–10
 - lack of integration, 10
 - microwatershed, 8–9
 - thrust, 7–8
 - watershed planning, 8
 - water use efficiency, 9
 - interventions of, 231–232
 - river valley projects
 - decision making in, 5–7
 - micro watersheds, 7
 - scale effects in, 3–5, 14
 - socioeconomic characteristics, 1
 - in south Asian countries, 14
 - water accounting, 10–11
- Water pollution, 266, 269
 - control norms, 267–270
- Water quality, 266, 272, 299
 - problems in areas and villages, 311
- Water quality monitoring (WQM), 323
- Water-related risks, 248
- Water resource(s)
 - augmentation, 216
 - of city of Kanpur, 247
 - development and management, 337–338
 - mapping, 310
 - planning, 335
- Water resources monitoring and planning unit, 303–304
 - basin management objectives, 311
 - basin plan development, 311
 - cropping pattern monitoring, 322
 - Electricity Users' Cooperative promotion, 315
 - existing water harvesting/storage/abstraction structures, 310
 - groundwater abstraction, sustainable levels of, 313
 - groundwater and surface water use rights allocation, 319
 - groundwater levels and water quality monitoring, 323
 - groundwater use rights enforcement, 322
 - land and water management practices, 324
 - large water management projects, 321
 - local institutional development agencies, 314
 - local water management activities monitoring, 325
 - main and branch canals control, 317
 - microplan development for watersheds, 318
 - modernization, technological innovations, 317
 - on-farm water management practices, 324
 - periodic water accounting and water balance exercises, 325
 - river basin organizations, designation and constitution of, 309
 - rural economic institutions, 311
 - specific management plans for subbasins, 312
 - strengthening legal regimes, 308–309
 - subbasin organizations, 312
 - technical assistance from scientific institutions to RBOs, 313
 - technical plan preparation, 319
 - tradable water use rights allocation
 - establishment of, 304–305
 - groundwater, 305
 - intersectoral allocation of rights, 306–307
 - intrasectoral allocation of rights, users/user groups, 307–308
 - in surface water, 305–306
 - water rights systems, 306
 - water management activities, fund allocation, 321
 - water quality problems, areas and villages, 311
 - water resource mapping, 310
 - water sale and pollution tax collection, fund generation, 320
 - watershed management institutions, 314

- watershed management/local water
 - harvesting activities implementation, 322
- water users, socioeconomic profiles, and
 - water accounts database, 310
- WUAs
 - promotion for irrigation
 - management, 315
 - and urban water utilities, canal water
 - use rights negotiation, 321
- Water resource system, Warna river basin
 - groundwater, 155–157
 - surface reservoirs and irrigation projects, 155, 156*t*
- Water rights systems, 306
- Water savings, 216
- Water-scarce regions, 307
- Water security challenges, 245
- Watershed
 - definition, 55–56
 - microplans development for, 318
 - in south Gujarat, 332–333
 - treatment, 99
- Watershed development (WSD), 21, 55–56, 294–295
 - aquifer geometry, 288–289
 - at catchment/landscape scale, 105
 - closure of catchments, 280
 - ecological/environmental and social
 - aspects, 281
 - ecological/environmental aspect, 281
 - history of, 275
 - hydrology and livelihoods integration, 284–285
 - impact assessment and monitoring, 105
 - impact of, 275
 - institutional approach, 279
 - institutional issues, 283–284
 - internalizing externalities, 282–283
 - interventions management, 281
 - local water loss, 104
 - mesoapproach, 282
 - micro- to mesoscale shift, 282
 - microwatershed approach, 279–280
 - Narmada river basin (*see* Narmada river basin)
 - National watershed guidelines, 104–105
 - policy, 276
 - political preference, 22
 - rainwater harvesting structures, 104
 - scale aspects, 276–286
 - social aspect, 281
 - socioeconomic benefits, 21–22
 - socioeconomic context, 285–286
 - socioeconomic implications, 286–294
 - technology for soil and water
 - conservation, 275–276
 - water-related consequences, 105–106
- Watershed Development Projects, common
 - guidelines, 105–106
- Watershed hydrology simulation
 - alternative rain water harvesting
 - options, 138
 - nonwater-based livelihoods, 139
 - water demand exceeds supply, 138
 - water productivity, 139
 - watershed inflows exceed outflows, 138
- Watershed impacts and equity
 - socioeconomic and natural resource
 - impacts, 67
 - in South Asia, 67, 68*t*
 - Afghanistan, 71–74
 - India, 67–68
 - Nepal, 69
 - Pakistan, 69–70
 - Sri Lanka, 70–71
 - sustainable livelihood framework, 67
- Watershed institutions and implementation
 - India, 74–76
 - Nepal, 76–78
- Watershed interventions, 287–288, 291
 - management, difficulty of, 281
 - scale of analysis of, 333
- Watershed management (WSM), 335
 - catchment assessment and planning
 - (*see* Catchment assessment; Catchment planning)
 - characteristics of, 282
 - hydrological, biophysical, and
 - socioeconomic systems, 55–56
 - in India, 48
 - institutions, sustainability of, 45–46
 - physical and socioeconomic impacts, 44–45
 - institutions, 314
 - positive hydrological impacts, 49

- Watershed management (WSM) (*Continued*)
- programs, 49–50, 279, 283
 - projects, 276–277, 279
 - scale effects in, 16
 - in South Asia
 - in Afghanistan, 56–57, 63–64
 - Bangladesh, 63
 - Bhutan, 61–62
 - evolution, 58, 59*t*
 - in India, 56, 58–60
 - natural resource, 57–58, 62
 - Nepal, 58, 60–61
 - Pakistan, 61
 - Sri Lanka, 62–63
 - technical interventions of, 64
(*see also* Watershed structures)
- Watershed management interventions, 145–146
- Watershed management projects
- hydrological assessment, 141–144
 - intervention planning, 121–122, 141
 - project area selection, 141–142
- Watershed structures
- in situ moisture conservation, 65–66
 - rain water harvesting, 66–67
 - soil conservation, 64–65
- Water supply, 214–215, 223, 229
- degradation of, 245
 - downscale basin-level IWRM plans, 214–215, 223, 229
 - groundwater resources, 226–228
 - surface water resources, 224–225
 - system, 254–256
- Water supply management challenges, 264
- economic risks, 267
 - regulatory risk, 267–268
 - reputational risk, 269–270
 - physical risks, 264
 - future water requirement, 264–265
 - renewable water resources availability, 265–266
 - water quality, 266
- Water-surplus river basin, 15
- Water tenure
- definition, 149
 - in sub-basin
 - cropping systems, 178–179
 - land use, 178
 - lower catchment, 177
 - total drainage area, 176–177
 - upper catchment, 177–178
 - urban population, 180
 - water quality deterioration, 179
 - water supply schemes, 180
 - water table and groundwater outflows, 178–179
 - wide spatial heterogeneity, 176–177
- Water use efficiency (WUE) improvement
- measures, 25–26
- Water use hydrology, irrigation, 237
- Water Users' Association (WUAs)
- promotion for irrigation management, 315
 - and urban water utilities, canal water use rights negotiation, 321
- Whole-of-catchment model, 278, 293, 333
- World Bank-assisted Neeranchal Watershed Management Project, 106–107
- World Wildlife Fund (WWF), 248
- WSD. *See* Watershed development (WSD)
- WSM. *See* Watershed management (WSM)
- WSM Division (WMD), 62
- WUAs. *See* Water Users' Association (WUAs)