

How can we stop the slow-burning systemic fuse of loss and damage due to land degradation and drought in Africa?

Caroline King-Okumu^{1,2}, Daniel Tsegai³, Diaminatou Sanogo⁴, Jonah Kiprop⁵, Joshua Cheboiwo⁵, Mame Sokhna Sarr⁴, Marcelo Inacio da Cunha⁶ and Maher Salman⁷



Droughts are extreme events that have major impacts on communities, ecosystems and economies due to slow onset and complex processes. Land and ecosystem degradation increase the risks of loss and damage during droughts, whereas well-adapted practices and policies can enable society to (re)build resilience. This review highlights actions needed to connect and fill gaps in the present systems for ecological and hydrological monitoring, governance, and alignment of economic incentives at regional, national and local scales. Stopping the slow-burning fuse of drought damage requires improved tracking and reversal of the observable slow-onset nature of hydrological and socio-economic drought. International scientific and technical cooperation to better map and quantify changing loss and damage risks could provide evidence-based action triggers.

Addresses

¹ The Borders Institute (TBI), Africa, P.O. Box 13385-00100, Nairobi, Kenya

² GeoData Institute, University of Southampton, United Kingdom

³ United Nations Convention to Combat Desertification in Those Countries Experiencing Serious Drought and/or Desertification, Particularly in Africa (UNCCD) Secretariat, Platz der Vereinten Nationen 1, D-53113 Bonn, Germany

⁴ Centre National de Recherches Forestières de l'Institut Sénégalais de Recherches Agricoles (ISRA/CNRF), Route des Pères Maristes, BP2312 Dakar, Senegal

⁵ Kenya Forestry Research Institute, P.o Box 20412 - 00200, Nairobi, Kenya

⁶ German Aerospace Center - Project Management (DLR - Projektträger), Germany

⁷ Food and Agriculture Organization, United Nations

Corresponding author: King-Okumu, Caroline (caroking@yahoo.com)

Current Opinion in Environmental Sustainability 2021, **50**:289–302

This review comes from a themed issue on **Slow onset events related to climate change**

Edited by **Susana Adamo, Riyanti Djalante, Prabodh GD Chakrabarti, Fabrice G Renaud, Amsalu Woldie Yalew, Doreen Stabinsky, Zinta Zommers and Koko Warner**

For a complete overview see the [Issue](#) and the [Editorial](#)

Available online 19th August 2021

Received: 21 June 2020; Accepted: 18 April 2021

<https://doi.org/10.1016/j.cosust.2021.04.008>

1877-3435/© 2021 Published by Elsevier B.V.

Introduction

Droughts are extreme events that have major impacts on communities, ecosystems and economies [1,2]. Vulnerability to drought can be exacerbated by land degradation, which is a slow onset phenomenon progressively reducing hydrological and ecological functions and productivity [3]. Whereas systemic degradation increases the risks of loss and damage during droughts, well-adapted sustainable land management practices and policies can enable society to (re)build resilience [4]. Over the past decade, concerted international attention has been devoted to improving preparedness and response planning to reduce drought impacts on vulnerable populations [5], and adapting to the increasing frequency, duration and severity of droughts due to climate change. But until recently, far less attention has been paid to understanding, maintaining and boosting systemic resilience to drought in Africa.⁷ This can be achieved through positive and proactive human interactions with the terrestrial life support system [6–9,10*] (Figure 1).

For many vulnerable people, living with unpredictable extremes has become ‘normal’. As has the near impossibility of effective characterisation, monitoring and management of ecological and hydrological conditions due to a sparsity of long-term records from ground-based observation systems.⁸ Continuous local observations by resource users have remained unrecorded or ignored. However, over the past decade, national and regional governance institutions and constitutional processes have begun to reconsider their resource management systems and capabilities.⁹


Global drought observation systems have evolved with increasing availability of technologies for remote sensing

⁷ See, for example, East African countries progress reports at: <https://resilience.igad.int/resources/> and West Africa progress report: <http://www.cilss.int/index.php/note-dinformation-impacts-de-la-covid-19-sur-la-san/>.

⁸ See map of quality controlled rainfall stations in Africa in Ref. [11]. And also: <http://agrhymet.cilss.int/index.php/bulletins/> and <https://www.icpac.net/>.

⁹ See: www.unccd.int. An initial report on preparation of a stock-take assessment by the Intergovernmental Working Group on Drought is available at https://www.unccd.int/sites/default/files/sessions/documents/2020-12/ICCD_CRIC%2819%29_4-2015665E.pdf.

Figure 1



Simplified schematic view of drought and land degradation risks and resilience [based on range of sources including: Refs. 12–14].

[15] (Supplementary Figures 1 and 2). Furthermore, it is important to recognize that in an increasingly interconnected and interdependent world, additional scope still remains for mobile technologies to enable citizen science to further improve these systems [16,17]. In light of this, it is becoming more feasible to observe the linkages between slower onset land-based change processes (Supplementary Figures 3 and 4) and economic loss and damage during droughts [18] (Table 1). Over the coming decade, this should enable improved evidence to guide cooperation and investments to reverse slow onset change processes that exacerbate the risks to ecosystems and communities of avoidable loss and damage due to climate change.

The objective of this paper is to provide up to date knowledge and insights to the ongoing delivery of the work programme of the Warsaw International Mechanism

(WIM) for Loss and Damage associated with Climate Change Impacts under the UNFCCC [19].¹⁰ It presents an analytical review [drawing on recent assessments 4*,18,20] of the latest literature on land and ecosystem degradation in Africa and how this contributes to increasing immediate drought risks (alongside ongoing climatic changes). It highlights opportunities for enhanced national and international scientific and technical cooperation to evidence and further enable better-adapted land management practices and policies preventing loss and damage.

Effects of ecosystem degradation on risks of loss and damage during droughts in Africa

Disastrous drought events are characterised as slow onset disasters in the disaster management literature [25].

¹⁰ See information at: <https://unfccc.int/wim-excom>.

Table 2**Reported highlights from proactive land restoration achievements in West Africa [57]**

Country	Achievements
Burkina Faso	COSOP-IFAD (2005–2012) created 247 boreholes, management of 72 560 ha of cropland including 2247 ha of lowlands, and use of improved techniques by 229 123 small farmers.
Republic of Mali	Traditional techniques (Zai, stone barriers, earth bunds, half-moons, dune fixation, etc.) and agroforestry tested and disseminated by NRM programmes (CMDT, OHVN, ONG, etc.). 2000–2012 260 689 ha of degraded lands were reforested under the National Reforestation Strategy and Operation for a Green Mali.
Islamic Republic of Mauritania	Several hundred hectares of vegetation cover restored and protected in a participatory manner.
Republic of Niger	Over 2000–12 reforested areas increased from 4530.78 ha–74 666.27 ha in 2012 31.0 ha of dunes stabilized. The 3N Initiative (Nigeriens Nourish Nigeriens) under the Priority Investment Programme (PIP) recovered 254 536 ha out of 260 000 ha of degraded lands planned, that is, an achievement rate of 97.9%. 39 771 ha were stabilised out of 65 000 ha expected within five years (62.1% achievement rate). Coverage of 140 807 ha of plantation achieved against a forecast of 148 000 ha (95.1% achievement rate). Approx. 105 861 km of firebreaks completed over the 2011–2015 period. The area subject to assisted natural regeneration (ANR) in 2015 amounted to 48 091 ha against 21 938 ha in 2014, that is, a 119.2% increase, which shows the importance of assisted natural regeneration, mainly in the Maradi Region. The country's protected areas, which covered 6.6% of its surface in 2011, have increased to 14.29% of the national territory.
Republic of Senegal	Carbon credits generated an estimated 25 billion CFA Francs and stored 27 967 500 ton of carbon. Deferred grazing created 30 m ³ /ha, or 900 000 m ³ of wood on previously bare land.
Federal Republic of Nigeria	1056 ha of degraded land restored in 2017 and 500 ha of land planted with six local species. Four native grass species have been introduced to provide fodder for livestock. AID-funded Fadama-III project-built wells, boreholes, increased irrigated area (153.92 ha) and trained more than 338 people in remediation techniques for degraded lands, seed treatment and planting by direct seeding.

recounting loss and damage costs for compensation, recent literature on resilience seeks to *reverse* these dynamics (see Figure 1) [e.g. Refs. 41,43,44].

Activating resilience through well-adapted land management practices and policies

A significant body of under-evaluated experience in (re) building resilience to drought does exist globally [20,45] and across Africa [29,46,47,48*,49–51] (Table 2). International scientific reviews [cited above and 52–55,56*] and other compilations of success stories [45,46]¹⁵ include drought risk reductions at different stages of the drought cycle (Table 3). Proactive reversal of the slower onset ecological and hydrological degradation affecting ecosystems and communities can be achieved through land management and ecosystem restoration practices (Figure 1). It is not the intention in this review to prescribe any particular one of these practices, but rather to affirm that land users explore and apply them (Table 2) alongside other social and institutional measures.

How can we reduce drought risks more effectively?

The reasons why resource users are able to apply land restoration practices successfully in some areas but not in others do not only depend on information that they have about local climate and other conditions, but often involve a complex mix of social, economic, financial legal

or policy-related factors (Figure 1) [31*]. These can prevent vulnerable people from applying available resource management solutions. Policies and incentives at different scales (Table 4) can alter these barriers. From the emerging body of evidence on land restoration to reverse the deepening drought risks due to climate change, the following three key opportunities for proactive planning and policies already stand out:

Aligning economic incentives enabling land users' restoration practices (Section 'Aligning economic incentives enabling land users' restoration practices')

Integrating ecological and hydrological monitoring and assessment capabilities with socio-economic decision-support systems to guide planning and budgeting (Section 'Integrating ecological and hydrological monitoring and assessment capabilities with socio-economic decision-support systems to guide planning and budgeting')

Multi-scale governance systems (from local-national-regional-global scales) (Section 'Multi-scale governance systems (from local-national-regional-global scales)')

A brief review of each of these is provided in the following sections, together with a referenced example of each.

Aligning economic incentives enabling land users' restoration practices

At the national level, governments readily take action to prevent drought risks from affecting the most productive sectors — such as power generation, and high value exports. However, it can be harder for politicians to justify

¹⁵ See also: <https://knowledge.unccd.int/drought-toolbox>; <https://www.droughtmanagement.info/>; <https://www4.unfccc.int/sites/NWPStaging/Pages/Documents-and-other-resources.aspx>.

Table 3

Opportunities for proactive drought risk mitigation early on in the drought cycle [modified from <https://knowledge.unccd.int/drought-toolbox> and Ref. 58 for FAO and IDMP (forthcoming)]

Mitigate risks		Prepare	Response & recovery				Learn
Assess	Prevent	Prepare	Pre-alert	Alert	Emergency	Recovery	Adapt
i. High level review of policy & decision-making systems, and future risks	i. Boost current decision-making systems and adjust future plans	i. Put in place monitoring and Early Warning Systems	i. Promote low cost voluntary actions by water users	i. Restrict non-essential water uses	i. High cost direct demand restriction incl. urban users.	i. Monitor resource and learn lessons	i. Plan zonation of future developments.
ii. Sectoral reviews of infrastructure , incl. power supplies, maintenance and other risks	ii. Maintain infrastructure, ensure power supplies, – fix leaks, and so on.	ii. Identify and develop additional reserve capacity (incl. transfers, groundwater, desal.	ii. Ensure and prepare infrastructure to prioritize essential water needs	ii. Revise tariff on non-essential water use.	ii. Infrastructure responses incl. water transfers, trucking.	ii. Declare end of Drought – Norms reinstated	ii. Develop risk acceptance and awareness
iii. Sectoral reviews of agriculture drought risks in production systems	iii. Reinforce drought-smart production systems	iii. Reform abstractions of water and align agricultural use	iii. Increase communication and awareness	iii. Review readiness for emergency	iii. Emergency supplies or losses of crops and needs to compensate	iii. Temporary restrictions, restore and restock water reservoirs and soils	iii. Embed a process of ongoing learning and adaptation of production systems
iv. Sectoral reviews of water mgt incl., recharge patterns, risks & options	iv. Restore recharge patterns, and catchment management practices	iv. Plan water allocation and sharing at catchment levels	iv. Ensure normal water sharing rules in effect, encourage voluntary water trading	iv. Water sharing rules change, water value/prices and trading increase	iv. Temporary unsustainable extractions to meet emergency needs	iv. Rehabilitate & refill reservoirs	iv. Re-evaluate capacity needs for watershed mgt incl. flood mgt
v. Sectoral reviews of risks to habitats supporting hydrological processes	v. Maintain and restore habitats & hydrological processes	v. Community engage in assessing risk & resilience of systems	v. Protect key habitats incl. species at risk by legislation or other	v. Ensure minimum environmental flows	v. Save certain species, for example, translocate	v. Monitor habitats recovery and promote habitat restoration	v. Model & report effects on water bodies & habitats under stress
vi. Implementation reviews of local risk awareness and responsible institutions	vi. Reinforce local awareness and responsible institutions	vi. Communicate priorities and risk awareness	vi. Intensify local monitoring of scenarios	vi. Communicate alert to govt & all other stakeholders	vi. Ensure response reaches all vulnerable	vi. Ensure response reached all vulnerable & assess recovery needs	vi. Promote local understanding of co-dependence on ecosystems
vii. Review finance mechanisms (local, national & global)	vii. Adjust and replenish funds and mechanisms	vii. Prepare results monitoring of financing in place	vii. Refresh training for all staff and inform public	vii. Ready emergency disbursement and results monitoring	vii. Emergency disbursement and monitoring	vii. Conclude emergency disbursement. Fund recovery needs	vii. Assess results from monitoring systems

major investments in sectors that are not perceived by their popular support bases to generate significant tax revenues or other immediate benefits. In many parts of Africa, both environmental conservation, water management and supply to vulnerable populations are still dependent upon external revenue generation and institution-building [59]. Enabling private individuals and businesses to engage profitably (Figure 2) not only reduces beneficiaries' and governments' dependence on external support, but helps to sustain and replicate successes.

Payments for Ecosystem Services (PES) that reward community members with food, cash, rights to resource use, or

other social benefits for labour-intensive watershed restoration, digging wells, constructing bunds, planting trees, and so on, build on long-established social traditions in Africa [e.g. Refs. 47,48*,61–63]. Governments and communities can recognize the role of upstream ecosystem health in securing downstream water supplies and increase these incentives for land restoration [64]. New PES models include carbon credits (Table 2), wildlife conservation and water funds, for example, in Kenya [65–68]¹⁶ and South Africa [34,69]. Where downstream water supplies generate hydropower (as in the Volta basin, and

¹⁶ See also new Water Fund for Eldoret, Kenya: <https://www.thegef.org/project/eldoret-it-en-water-fund-tropical-water-tower-conservation>.

Table 4**Typology of proactive land management measures across sectors and scales [partially based on: Ref. 52 p. 62]**

Scale	Land use type	Land/ecosystem management measures
Field level	Water bodies	Managing extraction to maintain minimum flows to vulnerable communities and ecosystems Regulation of polluted discharges/water quality management Use or non-use of wells, artesian or with pumping systems Access to services (food distribution, water supply, health centers) Construction siting and practices for cooling, ventilation, access to clean water, waste management and removal
	Built environment	Water and food storage, cycling, treatment Vegetation management for shade and air conditioning Regulating access to water & energy sources
	Rangelands ^a	Seasonal/rotational grazing & mobility Supplementing fodder production, storage and distribution Reseeding/vegetation management
	Tree-based saystems	Forest Reserves (incl. PAs w/ sustainable forest/natural resources) Afforestation & Reforestation Agroforestry Improved vegetation management
	Cropped lands	Improved water management/irrigation Control soil erosion Integrated soil & fertility management ^b
		Integrated watershed management
Watershed/catchment	Mix of types listed above	Afforestation/conservation of forest cover Water harvesting [45] & recharge Maintain ecological water requirements
		Ecosystem management & classification
Regional/landscape	Mix of types listed above	Power lines and grid management Paved roads & transportation systems Transhumance corridors (people & livestock)
		Wildlife conservation, protected areas (PAs) Transfers/markets for water & food Telecommunications, radio & internet access
		Agricultural subsidies & incentives/PES, credit & extension/agricultural advisory programmes
National	Any/all	Emergency preparedness and response, social security, insurance Integrated land-use planning, sustainable & inclusive access to land, responsible land governance & tenure security, & taxation
Multi-nation/regional	Any/all	Transboundary cooperation/border management, Surveillance, security & peacekeeping Access/movement of people, goods, customs
		Global Climate Finance Global Green Finance & Risk Insurance Environmentally Sustainable Trade Policies
Multi-lateral/global	All	Negotiated global compensation mechanism for worsening loss and damage to land due to droughts and other climate extremes (-WIM) Other possible legal measures based on Polluter Pays principle

^a See Ref. [116*].^b Soil water holding capacity increases with increasing Soil Organic matter (SOM). Therefore, where landuses conserve or add SOM, this can increase soil water holding capacity. Relevant practices can include reduced soil tillage systems, crop residue return or manipulations of residue quality in conjunction with soil redox potential. For further detail, see Ref. [46].


others), riparian countries also share power supplies at low tariffs.

A second opportunity for governments to increase market incentives for drought-smart production with less water demands and polluting emissions concerns trade conditions [70,71]. At the present time, tracing export products to production systems with light ecological footprints and positive feedbacks is mostly not feasible due to lack of environmental monitoring and certification systems. However, recent growth in international and local markets for climate/(drought)-smart products from

recognisably drought-tolerant African trees, such as the *Senegalia senegal* (L.) Britton [72], *Adansonia digitata* (Baobab) and others [73] has enabled agricultural research and extension workers in Senegal to increase returns for land-users restoring trees to deforested silvopastoral areas [74*,75,76*,77–79]. These are immediately available to land-users as income from the sales of non-timber forest-products and fodder for livestock.¹⁷

¹⁷ For similar in Kenya, see: <https://www.thegef.org/project/restoration-arid-and-semi-arid-lands-asal-kenya-through-bio-enterprise-development-and-other>.

Figure 2



Land users can invest more in restoration where risks are low and returns are regular [modified for FAO/IDMP forthcoming from: Refs. [60,117,118].

Integrating ecological and hydrological monitoring and assessment capabilities with socio-economic decision-support systems to guide planning and budgeting

Ecosystem processes whereby vegetative cover and land management practices create drought-resistant microclimates and improve soil conditions are observable by resource users at the field scale [see e.g. Refs. 80,81]. But effects on water supply and other ecosystem services such as cooling, increased regulation and storage of water and nutrients in soils and waterbodies generated by the increased tree-cover (see Box 1) are rarely measured and valued [82,83].¹⁸ These and other largescale ecological and hydrological feedbacks between soil and vegetation conditions, cloud convection patterns and precipitation regulate or intensify both drought and flood risks in the Sahel [84–90].

Relationships that are believed to exist between changing vegetation cover types, surface runoff, recharge and water storage patterns [68,91] are complex. Remote sensing and modelling tools observing the Sahel [92]¹⁹ and Horn of Africa,²⁰ generate interesting hypotheses concerning possible effects on ecological and hydrological feedbacks from investments in land and water management [92–94,95*,96*,97], including those intended to achieve a Great Green Wall across the Sahara [9,96*,98]. These could help landusers to prevent dry spells from causing disasters. However, because ground-based monitoring networks in the Sahel remain sparse²¹ (Supplementary Figure 5) challenges remain at the ground level to track and manage effects on water stored and circulating through vegetation, soils, aquifers, reservoirs and water bodies.

¹⁸ See broader ongoing discussion of agricultural value chains for resilience in the Senegalese National Strategy for Land Degradation Neutrality https://knowledge.unccd.int/sites/default/files/ldn_targets/2018-12/Senegal.pdf translating into actions funded by GEF: <https://www.thegef.org/project/food-iap-agricultural-value-chains-resilience-support-project-parfa> and GCF: <https://www.greenclimate.fund/document/scaling-resilience-africa-s-great-green-wall-suraggwa>.

¹⁹ <http://agrhymet.cilss.int/index.php/bulletins/>.

²⁰ <https://www.icpac.net/>.

²¹ See map of current Aghrymet hydrological monitoring network in: <http://agrhymet.cilss.int/wp-content/uploads/2018/12/Bulletin-mensuel-Septembre-2020.pdf> p4 and International Soil Moisture network: https://www.geo.tuwien.ac.at/insitu/data_viewer/.

Local capabilities to identify and map water resource conditions and features are supported with relevant mobile tools and technology transfer in a few areas²² [99]. National and local governments could make more systematic use of these to enable local resource managers to guide national planning, implementation and evaluations of drought risk reduction [100,101].

Multi-scale governance systems (from local-national-regional-global scales)

Aligning resource management practices, monitoring systems and resilience-building support requires effective communication and cooperation between stakeholders at the different levels of government and beyond (Supplementary Figure 6). For example, to design drought resilient improvements to water supply systems requires national governments to identify, finance, regulate and build the capacities of local service providers [102]. Affected households often know and could show governments and external partners who and what works (or not) on the ground to reduce drought risks [103]. But where there are no mechanisms for the local and national governments to record, cross-check and learn from such feedback, and local populations cannot hold them properly to account, then improvements are unlikely to be made [104,105].

Affected households can sometimes organize themselves to collectively manage the sustainable use of water resources and to claim their rights to access water, manage forests and grazing resources and maintain healthy urban living environments. They do this via local associations, cooperatives, labour unions, and others connecting to the government administrations at municipality and other levels. The systems through which information and support for drought risk reduction travels between local governments and associations and actors at other levels are regulated through national policies (see Supplementary Tables 1–3). These planning and policy frameworks also guide and inform the design of assistance from bilateral, inter-regional and global multilateral programmes for drought risk reduction alongside other climate-related risks (Supplementary Figure 6 and Box 1).²³

Global governance processes are gradually putting in place systems to track and reduce the growing extent of exposure to drought risk that is due to land degradation (Sustainable Development Goal (SDG) 15.3.1) and water stress (SDG 6.4.2) [102],²⁴ and to help the least-developed countries to risk-proof these and other goals. These developments could help to reinforce risk governance for ecological and hydrological reserves, flag stages in rising

Box 1 Forest and rangeland degradation, restoration and adaptation to drought risk in Kenya

50 000 ha of timber and fuelwood worth (US\$ 17 million) were removed annually from Kenya's montane forests 2009–10 [108]. This resulted in loss of water quantity and quality, affecting productive sectors such as power, agriculture and fisheries, and increasing costs for water treatment and increased incidence of malaria — estimated at KES 3 700 million (US\$ 46 million) per year. The inter-dependencies amongst sectors of the economy multiplied the total cost to KES 5 800 million (US\$ 72 million) per year [68].

With each year of reduced water capture and regulation services provided by the forest, the risks of drought affecting downstream ecosystems increase. Comparison of river flow data to remotely sensed observation of forest cover losses confirms effects on water supply and other ecosystem services [109]. Downstream river flows support human life and sustain grazing in rangelands during drought. Where these are affected by upstream degradation and water extractions, vulnerability to drought increases downstream. A Post-disaster needs assessment following the 2009–11 drought counted costs including trucking emergency water and food supplies as well as loss of livestock and livelihoods, particularly in these areas [110]. Cross-sectoral economic effects were estimated to reduce GDP by 2.8% per year.

Recent studies demonstrate that investments in rangeland management can avoid and reverse some of these losses [21,111,112]. A recent model hypothesized that supporting land-users' investments in agroforestry and water storage could be expected to reduce vulnerability to drought in the drier catchments and across the Horn of Africa—lowering domestic water deficits by 54–100% and increasing per capita income by 285% over a 10-year period [62]. Further investigation is ongoing.²⁵ The national strategy for landscape restoration [67,113] (Figure 2), includes rangelands and forests in two drought-prone watersheds (Ewaso Nyiro North Catchment/Lak Dera²⁶ and Tana River basin²⁷), with support from GCF²⁸ [111], amongst a range of different land uses identified in other landscapes under the Bonn challenge and AFR100 initiatives. The government tracks natural capital gains and losses through its statistical systems [68]²⁹ and periodically reviews its common programming framework on drought.

drought risk due to degradation of these, and define triggers for management actions needed. To achieve this will require citizen science, extension support and technical exchanges to drive the creation of ground level monitoring systems to supplement the current use of

²⁵ <https://www.eld-initiative.org/en/news/news-detail/news/regreening-africa-kenya-dissemination-workshop/>.

²⁶ See: <http://ndma.go.ke/index.php/resource-center/send/67-case-studies/5231-isiolo-county-keeping-needy-students-in-school-with-food-for-fees> and <https://qcat.wocat.net/ar/accounts/user/5747/>.

²⁷ See: <https://www.ndma.go.ke/index.php/success-stories/108-building-community-resilience-to-drought-one-water-pan-at-a-time>.

²⁸ see: <http://ndma.go.ke/index.php/resource-center/send/42-special-reports/5201-twende-esmf>.


²⁹ See the Kenyan government comments on the <https://seca.un.org/content/global-consultation-complete-draft> and national submission in the area of water and ecosystems: http://www4.unfccc.int/Submissions/Lists/OSPSubmissionUpload/257_267_131301063961586743-Kenya%20submission%20NWP_%20ecosystems%20and%20water%20resources.pdf. Also recent comments on the Interim Report of the Dasgupta Review: <https://www.youtube.com/watch?v=Epueu2QO6-4>.

²² See examples at: <https://qcat.wocat.net/ar/accounts/user/5747/>.

²³ Some mapping of this support is compiled at <http://3w.igad.int/map/> and <http://www.ndma.go.ke/index.php/ede/investments-tracker>.

²⁴ <https://unstats.un.org/sdgs/indicators/database/>.

Figure 3



Potential for land restoration in Kenya [113].

remotely sensed meteorological observations, forecasting and indices [as in Refs. 10[•],106[•],107] (Figure 3).

Remaining needs for action to connect and fill gaps in the present systems

This review has highlighted particular opportunities for restorative action to prevent land and ecosystem degradation from multiplying drought effects. It explores the possible alignment of economic incentives for ecosystem restoration with ecological and hydrological monitoring

and assessment and multi-scale governance and financing. Through the Adaptation Fund, Green Climate Fund and others, billions of dollars have been committed to international climate finance, expanding meteorological forecasting and its integration with remote earth observation capabilities to observe drought risks. Emerging national environmental economic accounting may now also begin to help further to translate changes in ecological and hydrological conditions into economic terms for decision-makers.

Still there is no effective support in place connecting vulnerable communities' observations of the essential basic functions and health of ecological and hydrological life support systems to national and global systems for action. This missing link is important because although these conversions are intuitively understood at the level of affected households and communities, statistics and evidence are still needed to improve national and global decision-making and trigger effective action on the ground. Enhanced international scientific and technical cooperation focusing on the levels of essential hydrological reserves in soil, water bodies and storage systems should provide the missing evidence to verify the effects of investments and guide human institutions and decision-making to avoid disasters occurring due to droughts.

WIM [19] offers vulnerable populations the prospect of recourse against governments that fail to avert, minimize and address losses and damages resulting from the adverse effects of climate change on extreme weather, such as droughts and other associated slow onset phenomena. However, vulnerability to drought is also exacerbated by human inactions and actions that directly degrade the functions of ecosystems and their services [13,28,114]. WIM is not designed to focus on addressing these — but through its consideration of slow onset events it can help to put adequate systems in place to determine the losses due to climate change and other drivers. Available human capacities for evidence-based action could then stop the slow-burning fuse of hydrological and ecological drought damage and disasters from affecting households and economies.

Conflict of interest statement

Nothing declared.

Acknowledgements

The authors would like to thank their institutions for support during the preparation of the paper. We would like to thank Stephen Adaawen, the members of the Intergovernmental Working Group on effective policy implementation measures for addressing drought under the UNCCD and the interagency Integrated Drought Management Programme for interesting and relevant discussions. We also thank the Editors and reviewers for their support. No dedicated funding source supported the preparation of the manuscript. The views expressed in this publication are not necessarily those of any agencies or individual involved. The designations employed in the paper and the presentation of material therein do not imply the expression of any opinion whatsoever on the part of the UN agencies. Unless otherwise indicated, the ideas and opinions expressed by the contributors do not necessarily represent the views of their employers. The authors would welcome being notified of any remaining errors identified that the editing process might have missed.

Appendix A. Supplementary data

Supplementary material related to this article can be found, in the online version, at doi:<https://doi.org/10.1016/j.cosust.2021.04.008>.

References and recommended reading

Papers of particular interest, published within the period of review, have been highlighted as:

- of special interest
- of outstanding interest

1. UNFCCC: *Slow Onset Events - Technical Paper*. Bonn: UN Framework Convention on Climate Change; 2012, 61.
2. Malakoff D, Sugden A: **Dry times**. *Science* 2020, **368**:254-255 <http://dx.doi.org/10.1126/science.abc0396>.
3. UNCCD: *United Nations' Convention to Combat Desertification in Those Countries Experiencing Serious Drought and/or Desertification, Particularly in Africa*. 1994:56.
4. IPCC: **Climate change and land - an IPCC special report on climate change, desertification, land degradation, sustainable land management, food security, and greenhouse gas fluxes in terrestrial ecosystems - summary for policymakers**. Intergovernmental Panel on Climate Change. 2019:32.

Major findings underline the important role of land in the climate system, and the increasing extent to which the land surface is affected by humans. The report demonstrates that land-related responses can simultaneously contribute to climate change mitigation, adaptation and other social and economic objectives (such as combatting land degradation and desertification, and achieving food security). The major finding was that mutually supportive climate and land policies have the potential to save resources, amplify social resilience, support ecological restoration, and foster engagement and collaboration between multiple stakeholders.

5. Crossman ND: *Drought Resilience, Adaptation and Management Policy (DRAMP) Framework*. Bonn: UNCCD; 2018, 20.
6. CBD: **Voluntary guidelines for the design and effective implementation of ecosystem-based approaches to climate change adaptation and disaster risk reduction**. *Convention on Biological Diversity*. 2018:131.
7. UNCCD: *Drought Resilience, Adaptation and Management Policy Framework: Supporting Technical Guidelines*. Bonn, Germany: UNCCD; 2019, 48.
8. GLO: *Global Land Outlook*. Bonn: UNCCD; 2017, 340.
9. Mbow C, Halle M, Fadel RE, Thiaw I: **Land resources opportunities for a growing prosperity in the Sahel**. *Curr Opin Environ Sustain* 2020, **48**:85-92.
10. Mbow C: **Use it sustainably or lose it! The land stakes in SDGs for sub-Saharan Africa**. *Land* 2020, **9** <http://dx.doi.org/10.3390/land9030063>.

The author gives an overview of the vulnerability of Sub-Saharan African (SSA) countries in term of poverty, food security, and growing population and the imperativeness to tackle innovative land management strategies by the next decade to ensure resilience and sustainability. He emphasizes the value of land as the strategic front door to adapt, adopt, and cluster multi-sectorial technologies to meet challenges of the sustainable development goals in SSA.

11. Contractor S, Donat MG, Alexander LV, Ziese M, Meyer-Christoffer A, Schneider U, Rustemeier E, Becker A, Durre I, Vose RS: **Rainfall Estimates on a Gridded Network (REGEN) - a global land-based gridded dataset of daily precipitation from 1950 to 2016**. *Hydrol Earth Syst Sci* 2020, **24**:919-943 <http://dx.doi.org/10.5194/hess-24-919-2020>.
12. Adeel Z, Safriel U, Niemeijer D, White R, Kalbermatten G, Glantz M, Salem B, Scholes B, Niamir-Fuller M, Ehui Simeon *et al.*: *Ecosystems and Human Well-being: Desertification Synthesis*. Washington, DC: World Resources Institute; 2005, 36.
13. Van Loon AF, Gleeson T, Clark J, Van Dijk AIJM, Stahl K, Hannaford J, Di Baldassarre G, Teuling AJ, Tallaksen LM, Uijlenhoet R *et al.*: **Drought in the anthropocene**. *Nat Geosci* 2016, **9**:89-91 <http://dx.doi.org/10.1038/ngeo2646>.
14. King-Okumu: *Integrated Drought Risk Management: A Rapid Review of Risk Mitigation Measures - Report submitted to UN Food and Agricultural Organization and Integrated Drought Management Programme*. FAO and IDMP; 2021:150.
15. He X, Estes L, Konar M, Tian D, Anghileri D, Baylis K, Evans TP, Sheffield J: **Integrated approaches to understanding and**

- reducing drought impact on food security across scales. *Curr Opin Environ Sustain* 2019, **40**:43-54 <http://dx.doi.org/10.1016/j.cosust.2019.09.006>.
16. Ault TR: **On the essentials of drought in a changing climate.** *Science* 2020, **368**:256-260 <http://dx.doi.org/10.1126/science.aaz5492>.
17. Rangelcroft S, Birkinshaw S, Rohse M, Day R, McEwen L, Makaya E, Van Loon AF: **Hydrological modelling as a tool for interdisciplinary workshops on future drought.** *Prog Phys Geogr* 2018, **42**:237-256 <http://dx.doi.org/10.1177/0309133318766802>.
18. UNCCD: *Interim Report of the Intergovernmental Working Group on Effective Policy Implementation Measures for Addressing Drought Under the UNCCD. Report by the Intergovernmental Working Group.* Bonn: UNCCD; 2020, 22.
19. UNFCCC: *Report of the Executive Committee of the Warsaw International Mechanism for Loss and Damage Associated with Climate Change Impacts - Addendum.* Bonn: UN Framework Convention on Climate Change; 2017, 16.
20. IPBES: *Assessment Report on Land Degradation and Restoration.* Nairobi, Kenya: Intergovernmental Panel on Biodiversity and Ecosystem Services; 2019.
21. King-Okumu C: **Valuing environmental benefit streams in the dryland ecosystems of Sub-Saharan Africa.** *Land* 2018, **7** <http://dx.doi.org/10.3390/land7040142>.
22. Emerton L: *Valuing the Benefits, Costs and Impacts of Ecosystem-Based Adaptation Measures - A Sourcebook of Methods for Decision-Making.* Bonn: GIZ; 2017, 288.
23. Venton P, Venton CC, Limones N, Ward C, Pischke F, Engle N, Wijnen M, Talbi A: *Framework for the Assessment of Benefits of Action/Cost of Inaction (BACI) for Drought Preparedness.* Washington, DC: World Bank; 2019, 61.
25. UNDRR: **Report of the open-ended intergovernmental expert working group on indicators and terminology relating to disaster risk reduction.** *United Nations General Assembly Seventy-First Session Agenda Item 19 (c) Sustainable Development: Disaster Risk Reduction* New York. 2016:41.
26. Cook C: **Drought planning as a proxy for water security in England.** *Curr Opin Environ Sustain* 2016, **21**:65-69 <http://dx.doi.org/10.1016/j.cosust.2016.11.005>.
27. Gnacadja L, Wiese L: **Land degradation neutrality: will Africa achieve it? Institutional solutions to land degradation and restoration in Africa.** In *Climate Change and Multi-Dimensional Sustainability in African Agriculture.* Edited by Lal R, Kraybill D, Hansen DO, Singh BR, Mosogoya T, Eik LO. Springer; 2015:61-95 http://dx.doi.org/10.1007/978-3-319-41238-2_5pp.
28. Gjerdi HL, Gunn T, Mishra A, Pulwarty RS, Sheffield J: *Droughts in the Anthropocene/Les Sécheresses dans l'Anthropocène.* UNESCO and GRID-Arendal; 2019.
29. IPBES: *The IPBES Regional Assessment Report on Biodiversity and Ecosystem Services for Africa.* Bonn, Germany: Secretariat of the Intergovernmental Panel on Biodiversity and Ecosystem Services (IPBES); 2018. pp. 492.
30. UNDRR: *Global Assessment Report.* Geneva: UN DRR; 2019, 425.
31. UNEP: *Adaptation Gap Report 2020.* UNEP, UNEP DTU Partnership, World Adaptation Science Programme (WASP); 2021:120.

This report finds that while nations have advanced in planning, huge gaps remain in finance for developing countries to implement adaptation projects enabling increased protection against climate impacts such as droughts. It argues that public and private finance for adaptation must be stepped up urgently, along with faster implementation. At present, it estimates that only 13% of international climate finance is used to support Nature-based solutions. Of this, most is spent on 'soft' activities such as policy formulation, rather than on the ground implementation.
32. Rodina L: **Planning for water resilience: competing agendas among Cape Town's planners and water managers.** *Environ Sci Policy* 2019, **99**:10-16 <http://dx.doi.org/10.1016/j.envsci.2019.05.016>.
33. Muller M: **Cape Town's drought: don't blame climate change.** *Nature* 2018, **559**:174-176 <http://dx.doi.org/10.1038/d41586-018-05649-1>.
34. Stafford L, Shemie D, Kroeger T, Baker T, Apse C, Turpie J, Forsythe K: **Assessing the return on investment for ecological infrastructure restoration business case, November, 2018.** *The Nature Conservancy.* 2018:58.
35. King-Okumu C: *Drought Impact and Vulnerability Assessment: A Rapid Review of Practices and Policy Recommendations.* Bonn: UNCCD; 2019, 65.
36. IFRC: *The Cost of Doing Nothing - The Humanitarian Price of Climate Change and How it Can be Avoided.* IFRC; 2019:46.
37. IFRC: *The Cost of Doing Nothing - Appendix: Methodology.* IFRC; 2019:32.
38. GFDRR: *National Disaster Recovery Framework Building Back a Disaster-Affected Malawi Better and Safer.* Lilongwe: Office of the Vice President, Department of Disaster Management Affairs, Government of Malawi and GFDRR; 2017, 104.
39. GFDRR: *Somalia Drought Impact & Needs Assessment - Volume 1 - Synthesis Report.* Mogadishu, Somalia: Government of Somalia and GFDRR; 2018, 160.
40. Bullock JM, Ding H: *A Guide to Selecting Ecosystem Service Models Lessons from Sub-Saharan Africa.* World Resources Institute, Centre for Ecology & Hydrology, ESPA; 2018:48.
41. Venton CC: *Economics of Resilience to Drought.* USAID; 2018:43.
42. Traore S, Owiyo T: **Dirty droughts causing loss and damage in Northern Burkina Faso.** *Int J Glob Warm* 2013, **5**:498-513 <http://dx.doi.org/10.1504/IJGW.2013.057288>.
43. Wilkinson E, King-Okumu C: **Building resilience from the ground up.** *Disasters* 2019, **43**:S233-S244 <http://dx.doi.org/10.1111/disa.12345>.
44. Byrnes R, Surminski S: *Addressing the Impacts of Climate Change Through an Effective Warsaw International Mechanism on Loss and Damage Submission to the Second Review of the Warsaw International Mechanism on Loss and Damage Under the UNFCCC.* . Submission to the second review of the Warsaw International Mechanism on Loss and Damage under the UNFCCC London: London: Grantham Research Institute on Climate Change and the Environment and Centre for Climate Change Economics and Policy, London School of Economics and Political Science; 2019, 24.
45. WOCAT: *Water Harvesting - Guidelines to Good Practice.* Berne: CDE; 2013.
46. Liniger HP, Mekdaschi Studer R, Hauert C, Gurtner M: *Sustainable Land Management in Practice - Guidelines and best Practices for Sub-Saharan Africa.* . TerrAfrica, World Overview of Conservation Approaches and Technologies (WOCAT) and FAO 2011.
47. Gebremeskel G, Tang Q, Sun S, Huang Z, Zhang X, Liu X: **Droughts in East Africa: causes, impacts and resilience.** *Earth Sci Rev* 2019, **193**:146-161 <http://dx.doi.org/10.1016/j.earscirev.2019.04.015>.
48. Gebremeskel G, Gebremicael TG, Girmay A: **Economic and environmental rehabilitation through soil and water conservation, the case of Tigray in northern Ethiopia.** *J Arid Environ* 2018, **151**:113-124 <http://dx.doi.org/10.1016/j.jaridenv.2017.12.002>.

This study provides a comprehensive review of the evidence on the Soil and Water Conservation (SWC)-based integrated catchment management (ICM) implementation programmes, complemented by conservation-based agricultural development strategy, that were implemented in Tigray, Ethiopia from the 1990s and their benefits. The reviewed literature explicitly showed that ICM interventions were successful, most of the degraded landscapes were restored, and improvements in soil fertility, availability of water, and rainfed and irrigated crop productivity resulted over the last two decades. The study found that overall, the participation of all stakeholders and the strong commitment and sense of ownership by the people and local government is important for success.
49. IGAD: *IGAD Drought Disaster Resilience and Sustainability Initiative (IDDRSI) Country Implementation Progress Report (CIPR) Federal Government of Somalia 11th IDDRSI Platform Steering*

- Committee Virtual Meeting on 23 July 2020; IGAD: Djibouti: 2020:32.
50. IGAD: 11th Platform Steering Committee Meeting July 23 2020 Country Implementation Progress Report (CIPR) Federal Government of Ethiopia; IGAD: Djibouti: 2020:11.
 51. IGAD: EDE Implementation progress report 11th IGAD Drought Disaster Resilience Platform Steering Committee Meeting, 23 July 2020; IGAD/Government of Kenya: Djibouti: 2020:24.
 52. Reichhuber A, Gerber N, Mirzabaev A, Svoboda M, Santos AL, Graw V, Stefanski R, Davies J, Vuković A, García MAF et al.: *The Land-Drought Nexus Enhancing the Role of Land-Based Interventions in Drought Mitigation and Risk Management - Technical Report*. UNCCD SPI; 2019:116.
 53. Mngumi LE: **Ecosystem services potential for climate change resilience in peri-urban areas in Sub-Saharan Africa**. *Landsc Ecol Eng* 2020, **16**:187-198 <http://dx.doi.org/10.1007/s11355-020-00411-0>.
 54. Kloos J, Renaud FG: **Overview of ecosystem-based approaches to drought risk reduction targeting small-scale farmers in Sub-Saharan Africa**. *Adv Nat Technol Hazards Res* 2016, **42**:199-226.
 55. Sahani J, Kumar P, Debele S, Spyrou C, Loupis M, Araújo L, Porcù F, Shah MAR, Di Sabatino S: **Hydro-meteorological risk assessment methods and management by nature-based solutions**. *Sci Total Environ* 2019, **696** <http://dx.doi.org/10.1016/j.scitotenv.2019.133936>.
 56. Kalantari Z, Ferreira CSS, Keesstra S, Destouni G: **Nature-based solutions for flood-drought risk mitigation in vulnerable urbanizing parts of East-Africa**. *Curr Opin Environ Sci Health* 2018, **5**:73-78 <http://dx.doi.org/10.1016/j.coesh.2018.06.003>.
This article discusses the current status of floods and droughts in East Africa, and the potential of nature-based solutions to mitigate such problems driven by urban sprawl and climate changes. It argues that spatial planning and management strategies should take better account of the potential of nature-based solutions to mitigate associated risks in urban development under climate change. This requires understanding of the feedback mechanisms between population expansion, associated land-use changes and their impacts on ecosystem services.
 57. GLO: *Global Land Outlook - West Africa Thematic Report*. Bonn, Germany: UNCCD; 2019, 52.
 58. WWF-GIWP-UNESCO: *Drought Risk Management - A Strategic Approach*. Paris: UNESCO; 2016, 215.
 59. FAO: *Progress on Level of Water Stress - Global Baseline for SDG 6 Indicator 6.4.2*. Rome: FAO/UN-Water; 2018, 58.
 60. Mechler R, Bouwer LM, Linnerooth-Bayer J, Hochrainer-Stigler S, Aerts JCJH, Surminski S, Williges K: **Managing unnatural disaster risk from climate extremes**. *Nat Clim Change* 2014, **4**:235-237 <http://dx.doi.org/10.1038/nclimate2137>.
 61. Kohler F, Kotiaho J, Navarro L, Desrousseaux M, Wegner G, Bhagwat S, Reid R, Wang T: **Withdrawing cash from the water bank: practical knowledge for restoration**. In *Chapter 2: Concepts and Perceptions of Land Degradation And Restoration. The IPBES Assessment Report on Land Degradation and Restoration*. Edited by Montanarella L, Scholes R, Brainich A. Bonn, Germany: Secretariat of the Intergovernmental Panel on Biodiversity and Ecosystem Services (IPBES); 2018:53-134.
 62. Gies L, Agusdinata DB, Merwade V: **Drought adaptation policy development and assessment in East Africa using hydrologic and system dynamics modeling**. *Nat Hazards* 2014, **74**:789-813 <http://dx.doi.org/10.1007/s11069-014-1216-2>.
 63. Namirembe S, Leimona B, Van Noordwijk M, Bernard F, Bacwayo KE: **Co-investment paradigms as alternatives to payments for tree-based ecosystem services in Africa**. *Curr Opin Environ Sustain* 2014, **6**:89-97 <http://dx.doi.org/10.1016/j.cosust.2013.10.016>.
 64. Bhaduri A, Liebe J: **Cooperation in transboundary water sharing with issue linkage: game-theoretical case study in the Volta Basin**. *J Water Resour Plan Manag* 2013, **139**:235-245 [http://dx.doi.org/10.1061/\(ASCE\)WR.1943-5452.0000252](http://dx.doi.org/10.1061/(ASCE)WR.1943-5452.0000252).
 65. IFAD: *Upper Tana-Nairobi Water Fund (UTNWF) Detailed Design Report*. Rome: IFAD; 2017, 56.
 66. IUCN/IWMI: *WISE-UP to Climate: Water Infrastructure Solutions for the Tana Basin*. International Water Management Institute; 2018.
 67. GoK: *Republic of Kenya Land Degradation Neutrality Target Setting Final Report - Theme: 'Towards Concerted National Efforts to Halt and Reverse Land Degradation, Restore Degraded Ecosystems and Sustainably Manage Land Resources'*. Nairobi: Government of Kenya; 2020, 43.
 68. MEWNR: *Kenya Biodiversity Atlas*. P.O.Box 30126-00100, Nairobi, Kenya: Ministry of Environment Natural Resources and Regional Development Authorities; 2015, 144.
 69. TNC: **Greater cape town water fund business case | summary of findings | August 2019**. *The Nature Conservancy*. 2019:12.
 70. DEFRA: *A Green Future: Our 25 Year Plan to Improve the Environment*. London, UK: Department for Environment, Food & Rural Affairs; 2018. p. 42 + Annexes.
 71. Leach AM, Emery KA, Gephart J, Davis KF, Erisman JW, Leip A, Pace ML, D'Odorico P, Carr J, Cattell Noll L et al.: **Environmental impact food labels combining carbon, nitrogen, and water footprints**. *Food Policy* 2016, **61**:213-223.
 72. Sarr MS, Seiler JR, Sullivan J, Diallo AM, Strahm BD: **Drought resistance and gum yield performances in a *Senegalia senegal* (L.) Britton progeny trial in Senegal**. *New Forests* 2021. in press.
 73. Jäckering L, Fischer S, Kehlenbeck K: **A value chain analysis of baobab (*Adansonia digitata* L.) products in eastern and coastal Kenya**. *J Agric Rural Dev Trop Subtrop* 2019, **120**:91-104 <http://dx.doi.org/10.17170/kobra-20191030732>.
 74. Sanogo D, Sall M, Ba HS, Camara BA, Diatta PM: **Les Utilisateurs des terres de Kaffrine gagnent à investir dans des pratiques de gestion plus durables. Exemple du village climato-intelligent de Daga Birame et sa plateforme d'innovation. Un Rapport de l'Initiative ELD dans le Cadre du Projet «Inverser la Dégradation des Terres en Afrique par l'Adoption à Grande Echelle de l'Agroforesterie»**. 2019.
An economic assessment of sustainable land management (SLM) practices implemented in the village of Daga Birame revealed that assisted natural regeneration strategies had low up-front costs and achieved immediate environmental benefits. The study found that this practice, and others including the use of set aside areas and also domesticating selected tree species could neutralize land degradation and improve the living conditions for the population by increasing the provision of ecosystem services.
 75. Sanogo D, Ndour BY, Sall M, Toure K, Diop M, Camara BA, N'Diaye O, Thiam D: **Participatory diagnosis and development of climate change adaptive capacity in the groundnut basin of Senegal: building a climate-smart village model**. *Agric Food Secur* 2017, **6**:13.
 76. Raile ED, Young LM, Sarr A, Mbaye S, Raile ANW, Wooldridge L, Sanogo D, Post LA: **Political will and public will for climate-smart agriculture in Senegal: opportunities for agricultural transformation**. *J Agribusiness Dev Emerg Econ* 2019, **9**:44-62 <http://dx.doi.org/10.1108/JADEE-01-2018-0003>.
The political will and public will for climate-smart agriculture (CSA) policies, practices and programs in Senegal was analysed based on semi-structured interviews and documents. Opportunities to generate and channel demand for CSA were identified. The study concluded that improved agricultural outcomes already resulting from CSA could increase further if social structures change to enable more successful adoption of certain CSA innovations.
 77. Sagna MB, Niang KS, Guisse A, Goffner D: **Balanites aegyptiaca (L.) Delile: geographical distribution and ethnobotanical knowledge by local populations in the ferlo (North Senegal)**. *Biotechnol Agron Soc Environ* 2014, **18**:503-511.
 78. Sanogo D, Sall M, Camara BA, Diop M, Badji M, Ba HS: **The climate-smart village approach: putting communities at the heart of restoration**. In *ETFRN News 60 - Restoring African drylands*. Edited by Pasiecznik N, Reij C. Wageningen, the Netherlands: Tropenbos International; 2020:8.
 79. Sow S, Nkonya E, Meyer S, Kato E: **Cost, drivers and action against land degradation in Senegal**. In *Economics of Land*

- Degradation and Improvement - A Global Assessment for Sustainable Development*. Edited by Nkonya E, Mirzabaev A, von Braun J. Heidelberg New York Dordrecht London: Springer Open; 2016.
80. Rounsard O, Audebert A, Ndour AP, Clermont-Dauphin C, Agbohessou Y, Sanou J, Koala J, Faye E, Sambakhe D, Jourdan C et al.: **How far does the tree affect the crop in agroforestry? New spatial analysis methods in a *Faidherbia parkland*. *Agric Ecosyst Environ* 2020, **296** <http://dx.doi.org/10.1016/j.agee.2020.106928>.**
81. Dayamba DS, Ky-Dembele C, Bayala J, Dorward P, Clarkson G, Sanogo D, Diop Mamadou L, Traoré I, Diakité A, Nenkam A et al.: **Assessment of the use of Participatory Integrated Climate Services for Agriculture (PICSA) approach by farmers to manage climate risk in Mali and Senegal. *Clim Serv* 2018, **12**:27-35 <http://dx.doi.org/10.1016/j.cliser.2018.07.003>.**
82. King-Okumu C, Myint M, Westerberg V, Diop D, Coulibaly B, Ndao MT, Ndiaye D, Team DP: *Évaluation Économique des Bénéfices Tirés des Investissements dans l'Adaptation - Note Méthodologique sur l'Évaluation Économique des Retours sur les Investissements dans l'Adaptation aux Extrêmes et aux Catastrophes Climatiques Déterminés au Niveau Local dans la Région de Kaffrine au Sénégal*. Syracuse, New York, USA: Near East Foundation; 2017, 76.
83. GM: *Country Profile Senegal - Investing in Land Degradation Neutrality: Making the Case*. Government of Senegal; 2018:20.
84. Taylor CM, Belusic D, Guichard F, Parker DJ, Vischel T, Bock O, Harris PP, Janicot S, Klein C, Panthou G: **Frequency of extreme Sahelian storms tripled since 1982 in satellite observations. *Nature* 2017, **544**:475-478 <http://dx.doi.org/10.1038/nature22069>.**
85. Klein C, Taylor CM: **Dry soils can intensify mesoscale convective systems. *Proc Natl Acad Sci U S A* 2020, **117**:21132-21137 <http://dx.doi.org/10.1073/pnas.2007998117>.**
86. CSE: *Annuaire sur l'Environnement et les Ressources Naturelles du Sénégal*. edn 4. Dakar: Centre de Suivre Ecologique; 2018, 388.
87. Mehboob MS, Kim Y, Lee J, Um MJ, Erfanian A, Wang G: **Projection of vegetation impacts on future droughts over West Africa using a coupled RegCM-CLM-CN-DV. *Clim Change* 2020, **163**:653-668 <http://dx.doi.org/10.1007/s10584-020-02879-z>.**
88. Wendling V, Peugeot C, Mayor AG, Hiernaux P, Mougou E, Grippa M, Kergoat L, Walcker R, Galle S, Lebel T: **Drought-induced regime shift and resilience of a Sahelian ecohydrosystem. *Environ Res Lett* 2019, **14** <http://dx.doi.org/10.1088/1748-9326/ab3dde>.**
89. Zhou S, Park Williams A, Berg AM, Cook BI, Zhang Y, Hagemann S, Lorenz R, Seneviratne SI, Gentile P: **Land-atmosphere feedbacks exacerbate concurrent soil drought and atmospheric aridity. *Proc Natl Acad Sci U S A* 2019, **116**:18848-18853 <http://dx.doi.org/10.1073/pnas.1904955116>.**
90. Han F, Cook KH, Vizi EK: **Changes in intense rainfall events and dry periods across Africa in the twenty-first century. *Clim Dyn* 2019, **53**:2757-2777 <http://dx.doi.org/10.1007/s00382-019-04653-z>.**
91. Ong C, Black CR, Wilson J, Muthuri C, Bayala J, Jackson NA: **Agroforestry: hydrological impacts. *Encyclopedia of Agriculture and Food Systems*. 2014:244-252 <http://dx.doi.org/10.1016/B978-0-444-52512-3.00028-0>.**
92. Traore O, Chang W, Rehman A, Traore S, Rauf A: **Climate disturbance impact assessment in West Africa: evidence from field survey and satellite imagery analysis. *Environ Sci Pollut Res* 2020, **27**:26315-26331 <http://dx.doi.org/10.1007/s11356-020-08757-6>.**
93. Dardel C, Kergoat L, Hiernaux P, Mougou E, Grippa M, Tucker CJ: **Re-greening Sahel: 30 years of remote sensing data and field observations (Mali, Niger). *Remote Sens Environ* 2014, **140**:350-364 <http://dx.doi.org/10.1016/j.rse.2013.09.011>.**
94. Kaptué AT, Prihodko L, Hanan NP, Turner BL: **On regreening and degradation in Sahelian watersheds. *Proc Natl Acad Sci U S A* 2015, **112**:12133-12138 <http://dx.doi.org/10.1073/pnas.1509645112>.**
95. Ellison D, Ifejika Speranza C: **From blue to green water and back again: promoting tree, shrub and forest-based landscape resilience in the Sahel. *Sci Total Environ* 2020, **739** <http://dx.doi.org/10.1016/j.scitotenv.2020.140002>.**

The authors observe that we know far too little about the large-scale forest-water and land-atmosphere interactions that affects the success of land restoration through investments in agroforestry across the Sahel. They explore how large scale precipitation recycling all the way from the West African coast on into the Sahel can affect improved tree, shrub and forest cover in the Sahel proper to promote infiltration, groundwater recharge, and rainfall to triggering potential and land surface cooling.
96. Goffner D, Sinare H, Gordon LJ: **The Great Green Wall for the Sahara and the Sahel initiative as an opportunity to enhance resilience in Sahelian landscapes and livelihoods. *Reg Environ Change* 2019, **19**:1417-1428 <http://dx.doi.org/10.1007/s10113-019-01481-z>.**

The authors review the experiences gained over the past 50 years of large-scale reforestation history in the Sahara and Sahel, and the conceptual evolution of thinking concerning the Great Green Wall across the Sahara. They propose a transdisciplinary research framework enabling analysis of complex social-ecological systems, their temporal and spatial cross-scale interactions, and outcomes. They emphasize the need to focus on the supply of abundant, diverse, equitable, and durable ecosystem services to support livelihoods in the region to guide restoration actions toward the achievement of desirable future pathways.
97. Todzo S, Bichet A, Diedhiou A: **Intensification of the hydrological cycle expected in West Africa over the 21st century. *Earth Syst Dyn* 2020, **11**:319-328 <http://dx.doi.org/10.5194/esd-11-319-2020>.**
98. Wade TI, Ndiaye O, Maucilaire M, Mbaye B, Sagna M, Guissé A, Goffner D: **Biodiversity field trials to inform reforestation and natural resource management strategies along the African Great Green Wall in Senegal. *New Forests* 2018, **49**:341-362 <http://dx.doi.org/10.1007/s11056-017-9623-3>.**
99. Turman-Bryant N, Nagel C, Stover L, Muragijimana C, Thomas EA: **Improved drought resilience through continuous water service monitoring and specialized institutions—a longitudinal analysis of water service delivery across motorized boreholes in Northern Kenya. *Sustainability* (Switzerland) 2019, **11** <http://dx.doi.org/10.3390/su11113046>.**

Analysis of data related to site functionality and use for approximately 120 motorized boreholes across five counties showed that boreholes identified by county governments as strategic assets during drought, ran on average about 1.31 hour less per day compared to non-strategic boreholes. A coupled human and natural systems approach explained this counterintuitive finding through analysis of policies and program activities including the feedback mechanisms in place to cope with breakdowns.
100. King-Okumu C, Orindi VA, Lekakuli L: **Drought management in the Drylands of Kenya: what have we learned? In *Drought Preparedness and Livelihood Implications in Developing Countries: What are the Options?*. Edited by Mapedza E, Tsegai D, Bruentrup M, McLeman R. Elsevier; 2019.**
101. Jarso I, Tari D, King Okumu C: **Recommendations to the County Government of Isiolo for Preparation of a Strategic Plan on Water, Energy And Climate Change. London: IIED; 2017. p. 62.**
102. FAO: **Progress on Level of Water Stress – Global Baseline for SDG Indicator 6.4.2. Rome: FAO/UN-Water; 2018. Vol. Licence: CC BY-NC-SA 3.0 IGO, pp. 58.**
103. Jarso IG: **Determinants of Sustainability of Drought Support Projects Among Pastoralists in Marginalized Areas: A Case of Isiolo County, Kenya - A Research Project Report Submitted in Partial Fulfillment of the Requirements for the Award of Degree of Master of Arts in Project Planning and Management, Of the University of Nairobi, 2020. Nairobi: University of Nairobi; 2020.**
104. King-Okumu C, Jillo B, Kinyanjui J, Jarso I: **Devolving water governance in the Kenyan Arid Lands: from top-down drought and flood emergency response to locally driven water resource development planning. *Int J Water Resour Dev* 2017, **34**:675-697.**
105. García LE, Matthews JH, Rodríguez DJ, Wijnen M, DiFrancesco KN, Ray P: **Beyond Downscaling: A Bottom-Up Approach to Climate Adaptation for Water Resources Management. Washington, DC: World Bank Group; 2014, 62.**

106. Schiermeier Q: **Droughts, heatwaves and floods: how to tell when climate change is to blame.** *Nature* 2018, **560**:20-22 <http://dx.doi.org/10.1038/d41586-018-05849-9>.
Interviews with researchers from different parts of the developed world, including South Africa and Germany show agreement that teasing out the role of human-induced global warming — as opposed to natural fluctuations — in individual weather extremes is expected to help city planners, engineers and home-owners. It finds that there is a belief that understanding which of these risks are increasing will enable society to deal with them better. The article does not discuss the underlying assumption that society is already dealing effectively with the existing risks of drought, heatwaves and floods.
107. *WWDR: Water and Climate Change.* Paris: UNESCO World Water Assessment Programme; 2020.
108. *UNEP: The Role and Contribution of Montane Forests and Related Ecosystem Services to the Kenyan Economy.* Nairobi: UNEP: United Nations Environment Programme (UNEP); 2012, 54.
109. Mwangi KK, Musili AM, Otieno VA, Endris Hussien S, Sabiti G, Hassan MA, Tsehaye AT, Guleid A, Atheru Z, Guzha AC *et al.*: **Vulnerability of Kenya's water towers to future climate change: an assessment to inform decision making in watershed management.** *Am J Clim Change* 2020, **9**:317-353.
110. *PDNA: Kenya Post-Disaster Needs Assessment (PDNA) for the 2008–2011 Drought.* . Republic of Kenya with technical support from the European Union, United Nations, and World Bank and financial support from the European Union and the Grand Duchy of Luxembourg 2012:188.
111. Cheboiwo J, Langat D, Muga M, Kiprop J: *Economic Analysis of Forest Landscape Restoration Options in Kenya.* Nairobi: KEFRI/ IUCN; 2018.
112. King-Okumu C, Harou J, Orindi V: **Mitigating and adapting to 'arid' climate extremes: locally prioritized ecosystem-based adaptations at the water-energy nexus.** In *Handbook of Climate Change Resilience.* Edited by Leal W. Nairobi: Springer; 2018.
113. Gichu A, Kahuri S, Minnick A, Landsberg F, Ndunda P, Koome N, Neema N, Oyuke J: *Technical Report on the National Assessment of Forest and Landscape Restoration Opportunities in Kenya.* Nairobi: Ministry of Environment and Natural Resources; 2016, 40.
114. Marvel K, Cook BI, Bonfils CJW, Durack PJ, Smerdon JE, Williams AP: **Twentieth-century hydroclimate changes consistent with human influence.** *Nature* 2019, **569**:59-65 <http://dx.doi.org/10.1038/s41586-019-1149-8>.
116. Liniger H, Mekdaschi Studer R: *Sustainable Rangeland Management in Sub-Saharan Africa – Guidelines to Good Practice.* . Terrafrica; World Bank, Washington D.C.; World Overview of Conservation Approaches and Technologies (WOCAT); World Bank Group (WBG), Washington DC, USA and Centre for Development and Environment (CDE) Bern, Switzerland: University of Bern; 2019, 412.
This book provides an illustrated compilation of examples of sustainable rangeland management (SRM) practices from across Africa. These are accompanied by some proposed guidelines for the formulation of range-land policies and investments programmes in rangelands. An attractive, illustrative, straightforward and reader-friendly presentation is intended to make the examples and recommendations accessible for decision-makers and to help inform the future development of SRM.
117. Prahalad CK, Hart Stuart L: **The fortune at the bottom of the pyramid.** *WORLD VIEW, Strategy - Business* 2002. January 10, First Quarter 2002.
118. Clarke Daniel, Mahul Olivier: *Disaster Risk Financing and Contingent Credit: A Dynamic Analysis.* Washington DC: World Bank; 2011 <https://openknowledge.worldbank.org/bitstream/handle/10986/3457/WPS5693.pdf?sequence=1&isAllowed=y>.

Further reading

24. Hasan E, Tarhule A, Zume JT, Kirstetter PE: **+50 years of terrestrial hydroclimatic variability in Africa's transboundary waters.** *Sci Rep* 2019, **9** <https://doi.org/10.1038/s41598-019-48748813-x>.
115. UNWater: *SDG 6 Synthesis Report 2018 on Water and Sanitation.* New York and Geneva: UN; 2018.
119. Cherlet M, Charles Hutchinson, Reynolds J, Hill J, Sommer S, von Maltitz G: *World Atlas of Desertification.* Luxembourg: Publication office of the European Union; 2018.
120. *UNEP: Africa Water Atlas. Division of Early Warning and Assessment (DEWA).* Nairobi, Kenya: United Nations Environment Programme (UNEP); 2010.